



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

28m 1500bhp Shallow Draft Workboat (OVID Compliant)



Listing ID - 1124558

Description	28m 1500bhp Shallow Draft Workboat (OVID Compliant)
Date Launched	2012
Length	28m (91ft 10in)
Beam	11m (36ft)
Draft	2.275m (7ft 5in)
Location	Queensland, Australia
Broker	Geoff Fraser geoff.fraser@seaboats.net +64 21 61 222 5
Price	POA

Registry/Delivery: Australia / December 2012

Official Number: 860900

Call Sign: VJN4416

IMO Number: 9648219

Length: 28m (91ft 10in)

Breadth: 11m (36ft)

Depth Moulded: 3.25m (10ft 7in)

Designed draft: 2.275m (7ft 5in)

Classification: ABS +A1 (E), Towing Vessel, +AMS

GRT / NRT: 247/74 Tons

FO/FW Tank: 141.2m³ / 53.70m³

Total Deck Space: Approx. 10 knots

Bollard Pull: 19 tons

ENGINE ROOM

Fuel Oil Transfer Pump – 25m³/hr

Sewage treatment plant with holding tank

Blower fan – 2 x 19" for Engine Room

Fitted with SOLAS / Class Approved CO² Fire Suppression System

MAIN ENGINES / GENERATORS

Main Engine: 2 x Caterpillar C32 ACERT – 750bhp @ 1800rpm

Gear Box: Twin disc MGX5222 Ratio 4.59:1

Generator: 2 x Caterpillar C6.6 ACERT 125ekW @ 1500rpm/50Hz/415V/p.f.0.8 (IMOT1)

Propeller: 2 x Fixed Pitch 4 Blade (1400mm) with Kort Nozzles

DECK MACHINERY

2 x Anchor Windlass: Electrical hydraulic anchor windlass having capacity 2.0 tons @ 10m/min Single gypsy suitable for 19mm dia. Stud link chain, 2 x 300kg Stockless Anchors

2 x Crane: FASSI F1100RAFM 2.24 He-Dynamic Knuckle Boom Crane (Bow & Aft), Max 25 ton @ 3.5m, Min 8 ton @ 11.25m; Individual Hand-held Remote Control

Fork Towing Pin: Hydraulic Self Lifting FTP 35T WLL; Local & Remote Control

Towing Hook: Towing Hook 30 ton WLL with hydraulic emergency release

Towing Winch: 1 x ME S'pore 25 ton Single Drum Winch with 50 ton Brake holding capacity ; Local, Remote & Pendant Control

Towing Wire: 32mm dia. x 400m (6x36) IWRC EEIPS RHRL Galvanized Wire Rope

A-Frame/Rollers: Class Approved Anchor Handling A-Frame

Rollers: Bow & Stern Rollers Fitted

Controls: Wheelhouse & Steering Gear Control – Fore & Aft

NAVIGATION / COMMUNICATION EQUIPMENT

Radar: Furuno FR 8062

VHF: Furuno Make

GMDSS Inmarsat C Sys.: Furuno A1+A2+A3

SSB Radio: Furuno Make

GPS Navigator: Furuno GP-150

GPS Chart Plotter: Lowrance HDS-10

Magnetic Compass: DAIKO SR-150PK

Speed Log: Furuno Make

Universal AIS: Furuno FA-150

Echo Sounder: Furuno FE-700

Navtex Receiver: Furuno NX-700

PA system: Huayuan

Intercom: Huayuan

Wind Speedometer: Furuno FI-50

Facsimile Receiver: Furuno Fax-400

ACCOMMODATION / LIVE-SAVING & FIRE FIGHTING EQUIPMENT

Accommodation: 1 x 1 man (Captain); 1 x 2 men; 2 x 4 men

Life rafts: 2 x 15 men SOLAS (Bridge & Main Deck)


EPIRB: McMurdo E5 Smartfind 406

SART: McMurdo S4 Rescue SART

Pyrotechnics, Life-buoys, Various Fire Extinguishers. Co2 Suppression System, Fireman's Outfit & BA Set. Fitted to Statutory Req. of S'pore Non-convention Vessels, SOLAS & Australian regulations



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM