



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

37.7m Offshore Tug/Supply Ship For Sale & Charter



Listing ID - 1221233

Description 37.7m Offshore Tug/Supply Ship For Sale & Charter

Date 2012

Launched

Length 37.7m (123ft 8in)

Beam 10.6m (34ft 9in)

Draft 3.4m (11ft)

Note 61.8T Bollard Pull

Broker John Kearns
john.kearns@seaboatsbrokers.com
+64 21 400 805

Price 5,500,000 USD

Built (year and place): 2012, ITALY

Hull material: Steel

Flag: ITALY

Class Society and Notation: RINA Tug Sup OilRec FIF1

Next DD: December 2017

Next SS: December 2017

Next Annual Survey: March 2016

PRINCIPLE DIMENSIONS

Length Overall: 37.7m (123ft 8in)

Length between perp.: 33.7m (110ft 6in)

Breadth: 10.6m (34ft 9in)

Depth: 4.5m (14ft 9in)

Draft: 3.4m (11ft)

NT: 139 tons

GT: 464 tons

MACHINERY & PROPULSION

Total power output (BHP): 4750 bhp

Main Engine(s) (make, type): 2 x Caterpillar 3516B

Main Propulsion System: Twin screw

Auxiliary engine(s): 2 X 200 KVA, IVECO AIFO

Propellers: 2

Speed maximum: 13 knots

Speed cruising: 10 knots

CARGO AND TANKS CAPACITIES

Deck Area (m²): 120 m²

Fuel tanks capacity: 245 m³

Fresh Water tanks capacity: 108 m³

Ballast tanks capacity: 121 m³

ADDITIONAL INFORMATION

OTHER DETAILS

Unrestricted Service Supply, Antipollution Oil Re, Towing, FIFI1

LOADED DRAFT: 3.80 m - SUMMER FREEBOARD: 0.70 m

REC-OIL: 310 m³ - OTHER: 10 m³ - SLUDGE: 5 m³

DISPERSANT: 2.5 m³ FOAM: 17 m³

STRENGTH: 5 ton/m² - LENGTH: 17 m x WIDTH: 7 m

MAIN ENGINES RPM: 1600

REDUCTION GEARS: 2x MEKANORD 500 2HS GEAR RATIO: 6.19.01

Harbour Aux Engine: 1 x IVECO AIFO 8065M12, 60KVA 380V-50Hz.

PROPELLERS: CPP HELSET in Kort Nozzle (2500 mm - 400 rpm)

STEERING & RUDDERS: 2 x MARSILI spade type

BOW THRUSTER: Hydraulic - 100Kw

ECONOMICAL SPEED: 8 knots

FUEL CONSUMPTION: (100%): 14 MT/day (85%): 10 MT/day (50%): 6 MT/day

DECK CRANE: 3.0 ton, 10m outreach

LIFERAFT: 3 total 46 Persons

RESCUE BOAT: 6 P Solas GRP hull with 50hp outboard engine

TOWING/ DECK EQUIPMENT

MAX BOLLARD PULL: 61.8 ton - CONT. BOLLARD PULL: 59.1 ton

TOWING WINCH: DATA Hidrolik DTW H, Capacity 700m 48mm wire rope, Max Dynamic Pull 1st layer 45 ton, Break cap 1st layer 120 ton.

SPARE WIRE REEL: Hydraulic driven 700x1200

SPARE WIRE: 300m, 48mm wire rope

TOWING HOOK: 70 ton SWL PUSHING BOW: Rubber fender

FENDERING: Fender fitted all around

ANC. WINDLASS: CMM 24x2

ANCHOR & CHAIN: 2x AC14 475Kg Chain 24 U3 (6+7L)

ACCOMMODATION TOTAL: 14

SPECIAL EQUIPMENT

FIREFIGHTING (FiFi 1): 2x remote Monitor dual flow with 1200m³/h each and 300m³/h foam for FiFi against hydrocarbon fire

Throw length/height: 120m/50m

WATER SPRAY: Curtain type for complete vessel self-protection

WATER MAKER: 1T/day

FW TRANSFER E/PUMP FO: 50cbm/h, 60m head

TRANSFER E/PUMP: 40cbm/h @ 60m head

OILY WATER SEPARATOR OIL IMO: 60(33) 0,2cbm/h 15ppm

DISPERSANT SYSTEM: 2x 8m lateral hydraulic arm

OIL RECOVERY SYSTEM: 2x100 m³/h in built system / from 10ton





A series of line drawings of various boats, including a motorboat, a speedboat, a sailboat, and a tugboat, arranged horizontally.

