



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

NEW BUILD - 25.15m Oil Tanker



Listing ID - 1299

Description NEW BUILD - 25.15m Oil Tanker

Date Built to Order

Launched

Length 25.15m (82ft 6in)

Beam 8m (26ft 2in)

Draft 2.43m (7ft 11in)

Location ex Shipyard, Spain or Dominican Republic

Broker Reynaldo Gil J.

MAIN CHARACTERISTICS

L.O.A.: 25.15m

Length between perpendiculars: 23m96 m

Draft: 2.43m

Beam: 8m

Depth: 3m

Power: 2 x 260hp

Speed: 6.5 kn

Marpol I, IV, VI capacity: 220 m3 (95%)

Marpol V Capacity: 30m3

Loading/unloading ratio: 40m3/h

CARGO SYSTEM

Cargo pump Maker: Trief

Cargo pump model: Hydraulic driven BAL 32 R B 600 H

Capacity: 40 m3/h

Pressure: 5 bar

Viscosity: 50 Cst
Density: 1 kg/dm³

CLASSIFICATION NOTES

Class notation: Bureau Veritas, : HULL-MACHINERY, Oil Tanker, Flash Point < 60o, Sheltered waters
Spanish flag: Grupo III, Clase S
Cargo type: Marpol I, IV, V, VI

PROPULSION SYSTEM

M.W maker: Doosan Intracore Co.
Model: L126 TIH with electronic control Aventics Marex ECS 500 and InteliDrive DCU controller
Total Power: 2x260 hp at 2,000 r.p.m
Tail shaft: Stainless steel AISI 316L
Tail shaft bearings: Thordon SXL
Propeller: 2 units, 4 fixed blades diameter 1,070 mm.

STEERING SYSTEM

Rudder blade: 2 x high performance rudder blades semi-balanced
Rudder area: 2 x 0,9 m²
Rudder shaft: Stainless steel AISI 316L
Rudder shaft bearings: Thordon Zorec

BALLAST SYSTEM

Ballast pump Maker: Varisco
Model: Self priming centrifugal pump JS2-120-K10
Capacity: 44 m³/h
Ballast manifold: 5 x globe valve DN65
Ballast tanks: 6 units

AUXILIARY EQUIPMENT

Electrical anchor winch maker: Galmac
Winch model: MOH-14-1-E
Anchor chain: 14 mm Q2
Anchor: 240 kg.

ELECTRICAL SYSTEM

Gen-set: 2 units
Engine Maker: Doosan Infracore Co.
Model: AD136TF
Power: 2 x 145 Hp at 1,500 rpm
Generator maker: Mecc Alte
Model: ECP34-1L4
Power: 2x135 Kva, 50 Hz, 400V
3-Ph Power transformer: 400V-230V, 25 Kva IP23
Battery set: 12 x 12 V
Electrical installation: ATEX

COMMUNICATION & NAVIGATION SYSTEM

Magnetic compass: Ritchie 80
AIS: EM-Track B100

Chart Plotter with echo-sounder: Samyung NF100

VHF GMDSS: SPO 507 M

VHF portable: SPO 36 M

CRANE & DERRICKS

Deck crane: Cytecma

Capacity: 2.5 tonnes at 8m

ACCOMMODATION

The vessel is equipped with one cabin for 2 pax including 2 beds with complete bathroom, sofa and table.

Workshop facilities including working bench, 380 and 220V electrical connection.

TANK CAPACITIES

Cargo: 220 m³ (95%)


Diesel oil: 11 m³

Ballast water: 90 m³

Fresh water: 2,17 m³


Bilge water: 1,55 m³

Grey/Black water: 1,55 m³












The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM