



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

85m MPSV..



Listing ID - 2229

Description 85m MPSV

Date 1999

Launched

Length 85.04m (279 ft)

Beam 19.82m (65 ft)

Draft 7.29m (26 ft)

Broker John Kearns
john.kearns@seaboatsbrokers.com
+64 21 400 805

Price POA

Price Notes Owners will consider genuine offers

85m DP2 Multi-Purpose Supply Vessel built 1999. ABS classification with + A1, AMS Towing DPS2. Powered by four (4) EMD 16-710-G7B Marine Diesel engines driving two (2) LIPS Z-Drives. Cargo deck area 715m² and Deck Cargo capacity of 1,524 tonne.

MacGregor 150 tonne AHC Knuckle Boom Crane. Two (2) Schilling Robotics 200HP UHD ROV rated for 4,000 m. Helideck certified for Sikorsky S-92 helicopter and certified under CAP 437 for day or night operations. Accommodations for 62 persons.

Vessel Type: Multi-Purpose Supply Vessel

Year Built: 1999

DIMENSIONS

Dimensions: 85.04 m X 19.82 m X 7.29 m (279 ft. X 65 ft. X 26 ft.)

Design Draft: 6.74 m (22 ft.)
Clear Deck: 42.67 m x 16.76 m (140 ft. x 55 ft.)
Cargo Deck Area: 715m² (7,700 sq. ft.)
Deck Cargo Capacity: 1,524.07 MT (1,500 LT)
Deadweight Tonnage: 3,454.56 MT (3,400 LT)

CAPACITIES

Fuel Oil: 1,169m³ (309,059.9 gals.)
Ballast: 1,589m³ (3420,000 gals.)
Potable Water: 359m³ (395,000 gals.)
Liquid Mud: 1,097m³ (6,900 barrels)

MACHINERY

Main Engines: Four (4) EMD 16-710-G7B, 16,000 BHP
Propulsion: Two (2) LIPS Z-Drives, 12,000 BHP
Bow Thrusters: One (1) 1,500 HP Drop-down Azimuthing
Bow Thrusters: One (1) 800 HP Tunnel
Speed: 15 knots
Generators: Four (4) EMD Gensets, 2,865 kW @ 900 RPM
Ship's Service Generators: One (1) CAT 3508 Diesel Generator, 150 kW @ 1,200 RPM

TOWING AND ANCHOR HANDLING (DECK EQUIPMENT)

Tow Winch: Two (2) 11,800 ft. 3 in. wire, 10,200 ft. 3.25 in. wire, 8,800 ft. 3.5 in. wire
Tow Drums: One (1) 20,600 ft. 3 in. wire, 11,800 ft. 3.25 in. wire, 16,500 ft. 3.5 in. wire
Chain Lockers: Two (2) x 325m³ (11,500 cu. ft.)
Storage Reels: One (1) @ 10,000 ft. of 3.5 in. wire.

SPECIAL FEATURES

Shark Jaws: Three (3) x 700 MT
Tow Pins: Two (2) x 300 MT
Tow Pins: Four (4) x TO-48 Vertical
Tuggers: Four (4) x 20 Tons
Ship Motion: FLUME Stabilization Tank
Ship Motion: Bilge Keels
Positioning: DP 2
Stern Rollers: Three (3) 10 ft. dia. @ 700 MT
Stern Rollers: Two (2) 6 ft. dia. @ 500 MT
Crane: One (1) MacGregor 150 tonne AHC Knuckle Boom Jib Crane
Cranes: Two (2) EBI @ 30 MT, with 40-ft. telescoping boom
ROV: Two (2) Schilling Robotics 200HP UHD rated for 4,000 m
Helideck: Modular aluminium construction. Certified for Sikorsky S-92 helicopter.
Certified under CAP 437, day or night operations.

LIFE SAVING EQUIPMENT

Life Rafts: Six (6) x 25-Man Inflatable Life Rafts
Life Rafts: Two (2) x 20-Man Inflatable Life Rafts
Rescue Boat/Craft: One (1) x Rescue Boat and Davit
Other gear as required by authorities

ELECTRONICS

Two (2) Radars

Two (2) GMDSS
Three (3) GPS Navigation Aids
Autopilot
Colour Depth Sounder
AIS
ECDIS
RadaScan
Gyrocompass with Repeaters
Magnetic Compass
VSAT
Cellular Phone
Internal Communications System
Control Stations with Full Monitoring
Winch and Reel Room Closed Circuit Television
Hydro Acoustic Positioning.

CLASSIFICATION

ABS: AMS Towing
ABS: Maltese Cross A1
USCG: Subchapter L
SOLAS


ACCOMMODATION

Accommodation: 62



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors,

to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM