



# SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

[sales@seaboats.net](mailto:sales@seaboats.net) - [www.seaboats.net](http://www.seaboats.net)

## 3600HP Twin Screw Tug



### Listing ID - 3343

**Description** 43m Towing Tug

**Date Launched** 1991 (rebuilt in 2005)

**Length** 43m (141ft)

**Beam** 10m (32ft 9in)

**Location** China

**Broker** Franklin Taylor  
[franklin.taylor@seaboatsbrokers.com](mailto:franklin.taylor@seaboatsbrokers.com)  
+64 27 276 5383

**Price** USD 500,000

Type of Vessel: Towing Tugboat

Date of Keel Laid: October 20, 1990

Finished Date: September 01, 1991

Rebuilt Date: September 24, 2005

LOA: 43m

Length: 39.10m

Length of Load Waterline: 40.79m

Breadth: 10m

Depth Moulded: 4.38m

Light Load Draft: 2.96m

Full Load Draft: 3.5m

Full Load Displacement: 809.4t

Light Load Displacement: 640.15t

Navigation Area: Great Coastal Waters

Operating Sea Area: A1 + A2  
Material of Hull: Steel  
Material of Deck: Steel  
No of Decks: 1  
No of Watertight Horizontal Bulkheads: 7  
Structure Type: Transverse Frame Type  
Place of Water Entrance Angle: Doorsil of Engine Room

## **Equipment**

### **Anchors**

No of outfitting 247  
No of Anchors: 2  
No of Windlasses: 1  
S stern anchor: Hall anchor, 780kg  
P bow anchor: Hall anchor, 780kg

### **Windlass**

Fore windlass: A-JDM/28, 11kW, Wuzhou Marine Industry

### **Anchor Chain**

S fore anchor chain: dia 28mm, length 150mm, grade AM1, Material 1<sup>st</sup> grade  
P fore anchor chain: dia 28mm, length 150mm, grade AM1, Material 1<sup>st</sup> grade

### **Rudders**

No of. Rudders: 2  
Main Steering Device Type: Electric Hydraulic  
S rudder: Type stream line, Area of rudder: 3.66m<sup>2</sup>, diam 145mm, material 35# steel  
P rudder: Type stream line, Area of rudder: 3.66m<sup>2</sup>, diam 145mm, material 35# steel

### **Main Steering Device**

Main Steering Engine: YD6.3-10  
Torque: 100kn.m  
Mfg: Qiuxin Factory

### **Fire Fighting Equipment**

Water Smothering System  
Emergency Fire pump: 65CWZ-8, 36m<sup>3</sup>/h, 0.30mpa, qty 1, place of installation: engine room  
Main Fire Pump: 4BA-12, 75m<sup>3</sup>/h mpa 0.42, qty 1, place of installation: engine room  
Fire hydrant: 4 pieces  
Water gun: 4 pieces  
Fire Extinguishers: Foam: 6 / Dry Powder: 6 / Wheeled Type Foam: 1  
Fire Pails: 4 pieces  
Fire Axes: 2 pieces  
Sand Boxes: 4 pieces  
Life Vest: 18  
Life Raft: Qty 2 / Capacity 20  
Lifebuoy: 6

### **Navigation Device**

AIS: 1

GPS: 1  
Clock: 2  
Magnetic Compass: 1  
Navigation on Radar: 1  
Search Light: 2  
Sea Chart: 1  
Binoculars: 1  
Radar: 1

### **Signal Equipment**

Red Flag: 1  
National Flag: 4  
Flute: 1  
Ball: 3  
All-round light: 4  
Mast light: 3  
Tail light: 1  
Signal Flag: 40  
Side Light: 2

### **Machineries**

#### **Main Engine**

Zibo diesel engine: LC6250ZLC-2; Diesel engine, 20082751, 1323.00kw, 825r/min, Jan 06, 2008  
Zibo diesel engine: LC6250ZLC-2; Diesel engine, 20082752, 1323.00kw, 825r/min, Jan 06, 2008

#### **Gear Box:** 2 units

Model: MG39.41  
Rate Speed: 1.839kw/r/min  
Reduction ratio: 2:1

### **Shafts**

Propeller Shaft (S,P): 160 dia, 35# steel, 2 units  
Middle Shaft (S,P): 150 dia, 35# steel, 2 units

### **Propeller**

Type: fixed  
Material: Cu3  
Dia: 1760mm











The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



