



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

280ft PSV



Listing ID - 3438

Description	280ft PSV
Date Launched	2004
Length	85.34m (280ft)
Beam	18.29m (18.29ft)
Draft	7.32m (24ft)
Location	USA
Broker	Geoff Fraser geoff.fraser@seaboats.net +64 21 61 222 5

Hull: 222

Vessel Type: PSV - Platform Supply Vessel

Vessel Class: OSV - Offshore Supply Vessel

Year Built: 2004

Shipyard: North American Fabricators

Flag: U.S.

LOA: 85.34m (280ft)

Beam: 18.29m (18.29ft)

Draft: 7.32m (24ft)

Draft (Lightship): 7 ft. 3 in. (2.21 m)

Draft (Loadline): 19.24 ft. (5.87 m)

Clear Deck: 203 ft 6 in x 50 ft 6 in (62.03 m x 15.42 m)

Cargo Deck Area: 10,293 sq. ft. (956.25 sq. m)

Deck Strength: 1,200 lbs/sq. ft. (5.86 MT/sq. m)

Deck Cargo Capacity: 2,700 LT. (2,743 MT)

Deadweight Tonnage: 4,898.7 LT (4,976.6 MT)

CLASSIFICATION

ABS: (A1) Maltese Cross (Hull)

ABS: (AMS) Maltese Cross AMS (Machinery)

ABS: Loadline

ABS: (DPS - 2) Maltese Cross Dynamic Positioning

USCG: Subchapter L (OSV) and I (Cargo)

SOLAS: Cargo Ship

MARPOL: Ship Other Than Oil Tankers Carrying Oil

CAPACITIES

Fuel Oil: 299,672 Gallons (1,134 m³)

Ballast: 303,093 Gallons (1,147.33 m³)

Potable Water: 32,690 Gallons (123.7 m³)

Dry Bulk: 11,440 cu. ft. @ 80 psi (323.94 cu. m @ 5.5 bars)

Liquid Mud: 15,644 Barrels (2,487.2 m³)

Methanol: 1,836 Barrels (291.9 m³)

SPECIAL FEATURES

Ship Motion: Two (2) Passive Type Anti-Roll Tanks

Ship Motion: Bilge Keels

Positioning: DPS - 2

Deck Provision Crane: One (1) x 3,100 lbs. Capacity @ 30' Fixed Boom

MACHINERY

Main Engines: Two (2) x CAT 3608, 3,299 HP (each)

Bow Thrusters: One (1) x 1,200 KW Schottel STT 1010 TLK CP

Stern Thrusters: One (1) x 1,200 KW Schottel STT 1010 TLK CP

Swing Down Combination Thruster: One (1) x 1,100 HP Ulstein TCNC 73/M-180

Speed: 13 knots

Rudders: Two (2) Independent High Lift Type Rudder Systems

Propellers: Two (2) x Schottel SCP 077-1 XG 2,700mm Diameter (CPP)

Emergency Generators: One (1) x 190 KW, CAT 3306 (Radiator Cooled)

Ship's Service Generators: Two (2) x CAT 3508B 910 KW (each)

Shaft Generators: Two (2) x ABB AMG 500 L 4 (2.0 mW each)

LIFE SAVING EQUIPMENT

Life Rafts: Four (4) x 25-Man Inflatable Life Rafts

Life Rafts: Two (2) x 10-Man Inflatable Life Raft

Rescue Boat/Craft: One (1) x Fast RSQ 450A – 6 person capacity, 40 HP motor, Solas/USCG approved.

FLOW-BACK / CHEMICAL


Flowback Approvals: Two (2) x On-Deck Flow-Back/Chemical Carriage Tanks (7,100 Barrels Total Capacity Both Tanks)

500bbl Approvals: 8 x 500bbl TANKS (4,000 BARRELS) ON VESSEL DECK - All (8) tanks are capable of carrying either hazardous or pollution material. Flow-Back carriage requires USCG approvals of chemicals prior to carriage.

ACCOMMODATIONS: 29 Bunks - (8 x 2 Person, 3 x 4 Person, & 1 x 1 Person)



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM