



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

38m 45t Tug Utility



Listing ID - 3816

Description 38m 45t Tug Utility

Date 2008

Launched

Length 38m (124ft 8in)

Beam 11.8m (38ft 8in)

Draft 3.8m (12ft 5in)

Note 46.43T Bollard Pull

Location Singapore

Broker Franklin Taylor

franklin.taylor@seaboatsbrokers.com

+64 27 276 5383

Price USD 2.65 million

Price Notes Special Survey and Docking Completed

Port of Registry/Flag: Kuching, Malaysia

GRT / NRT: 499 / 149

Year Delivered: 2008

Principal Particulars

LOA: 38m

Length BP: 33.4m

Breadth Moulded: 11.8m

Depth Moulded: 4.8m

Draft (max): 3.8m

Class: ABS+A1, Towing Vessel, Offshore Support Vessel, Circle E, +AMS

Performance

Bollard Pull: 46.43t (Certified)

Speed: 12 knots

Economical Speed: 11 knots

Type of Fuel: Marine Gas Oil

Range: 5,500 Nautical Miles @ 10 knots (approx.)

Cargo/Tank/Loading Capacity

Deadweight: 344 tonnes

Deck Cargo: 300m tons

Deck Strength: 5 tons / m²

Clear Deck Area: 150m²

Fuel Oil: 332m³

Fresh Water: 157m³

Foam: 8.59mt

Machinery & Propulsion System

Main Engine: 2x 1800bhp @ 1800 rpm Cummins:KTA 50M2

Bow Thruster: 1x 5T thrust engine driven Volvo Penta D12D-CMH

Propeller: 2x Four blade fixed pitch in K/Nozzles

Generator: 2x 245kW @15000rpm 6CTA8.3D(M), 415/3/50

Towing Equipment

Towing Winch: Single Drum 50 tonnes

Brake holding 120 tonnes

Drum Capacity: 850m x 44mm dia

Sekwang SK-HTW-T050

Deck Equipment

Anchor: 2x 1020 kg stockless bower anchors, 9 shackles 32mm diamer chains

Anchor Windlass: Electro-hydraulic powered PLIMSOLL PC-HAW/GG32

Capstan: 2x 5t PLIMSOLL PC-HVC-05/380

Tugger Winch: 1x 5m tons @ 15m/min PLIMSOLL PC-HUW-10/380

Accommodation

Cabins c/w attached washrooms

2x 1 berth

3x 2 berth

3x 4 berth

Total 20 pax

Radio & Navigation Equipment

Communication Equipment complied with A3 Flag administration regulations

Life Saving Appliance & Fire Fighting


As per SOLAS 7 flag administration requirement

CO2 System: In engine room & bow thruster compartment


Rescue Boat: 1x 6 person NARWHAL SV-400

External Fire Fighting: ½ FiFi

Pollution Control
As per MARPOL



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM