




SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

25.70m Crew Boat/ Wind Farm For Sale & Charter



Listing ID - 4590

Description 25.70m Crew Boat - Wind Farm Vessel For Sale & Charter

Date Launched 2014

Length 25.70m (84ft 3in)

Beam 8m (26ft 2in)

Draft 1.54m (5ft)

Note 2 x MAN Engine

Location UK Coast

Broker Geoff Fraser
geoff.fraser@seaboats.net
+64 21 61 222 5

Price POA

Built: 2014, United Kingdom

Hull material: Aluminum

Flag: United Kingdom

Class Society and Notation: MCA - DNV Cat1 Windfarm serv

Principle Dimension

LOA: 25.70m

Breadth: 8m

Depth: 3.80m

Draft: 1.54m

Machinery & Propulsion

Total power output: 1400 bhp

Main Engine: 2 x MAN V12 D2862 LE463 "Medium Duty" rating. 1400bhp @2100rpm, EIAPP Tier II compliant

Auxiliary Engine: 2 x 35 kW, Beta Marine 3 phase

Maximum Speed: 30 knots

Addition Information

Bow thruster Hercules HHBT

Cargo 30T

Length on design waterline 24.4m

Load line length 23.1m

Deck space 150m²

Maximum range 790nm (technicians only with reserve tanks)

Capacity

Fuel (main tanks) 2x 3,000 litres

Fuel (reserve tanks) 2x 3,000 litres

Fresh water 1x 520 litres

Sullage 1x 520 litres

Cargo 30T

ISO 20ft containers 3

Max dead weight

Technicians 12 @ 100kg = 1,200kg

Crew 4 @ 100kg = 400kg

Main tanks (100%) 6,000 litres = 5,040kg

Fresh water (100%) 520 litres = 520kg

Sullage (10%) 52 litres = 52kg

Stores 500kg

Cargo 30,000kg

Total 37,712kg

Engines 2 x MAN V12 D2862 LE463 "Medium Duty" rating. 1400bhp

@2100rpm, EIAPP Tier II compliant

Gearbox 2 x Servogear HD295HL/HR with ratio 3.3:1

Propulsion 2 x Servogear Ecoflow Propulsor controllable pitch

propellers, 4 blades, 1225mm diameter

Bow thruster Hercules HHBT

Speed 25 knots (90% MCR, Fully Load edin calm water) 30 knots (90%

MCR, Full Pax (no cargo) in calm water)

Crane 1 x fully marinised Palfinger PK6500M deck crane

Range

Technicians only without reserve tank 395 nm

Fully loaded without reserve tanks 335 nm

Technicians only with reserve tanks 790 nm

Fully loaded with reserve tanks 675 nm



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.

