



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

91.30m General Cargo Vessel



Listing ID - 4692

Description 91.30m General Cargo Vessel

Date 2011

Launched

Length 91.30m (299ft 6in)

Beam 15.80m (51ft 10in)

Draft 5.30m (17ft 4in)

Note 1 x MAN Engine

Location Port of Abu Dhabi, UAE

Broker Franklin Taylor
franklin.taylor@seaboatsbrokers.com
+64 27 276 5383

Price POA

Vessel Type: General Cargo - Container Ship

Built: 12/2011 at Shanghai Huali Marine Engineering Co Ltd - Shanghai

Classification: Bureau Veritas (BV) General Cargo Ship, equipped for carriage of containers, Unrestricted Navigation, AUT-UMS, MON-SHAFT

LOA: 91.30m

LBP: 84.47m

Breadth Moulded: 15.80m

Depth to Main Deck: 8.20m

Max. Draft: 5.30m

Deadweight: 3000MT

Height above keel: 35m

GT: 3477

NT: 1063

Machinery

Main Engine: MAN B&W – 7L 27/38 – 2380 kW - 3236 BHP

Aux Engine: Cummins KTA 19 D(M) – 511 kW x 3

Shaft Generator : Moteurs Leroy Somer – LSA 49.1 M75 / 4P – 650 kW

Bow Thruster: Kawasaki – KT 55B1 – Thrust power: 68 kn

Total Speed: 12

Gen: 3 x 400 kW

Speed & Consumption

Maximum Speed

Loaded: 9 knots

Ballast: 11 knots

Fuel Consumption LSFO

Loaded: 9mt / day

Ballast: 8.5mt / day

Fuel Consumption MDO

Loaded: 1mt / day

Ballast: 1mt / day

Economical Speed

Loaded: 6 knots

Ballast: 8 knots

Fuel Consumption LSFO

Loaded: 6mt / day

Ballast: 5mt / day

Fuel Consumption MDO

Loaded: 1mt / day

Ballast: 1mt / day

Anchor / Port

Loaded: Crane in use

Ballast: Crane not in use

Fuel Consumption LSFO

Loaded: NIL

Ballast: NIL

Fuel Consumption MDo

Loaded: 2MT

Ballast: 1.2MT

Bunker Capacity

HFO – 317.2 Cum

MGO – 100.5 Cum

LO – 14.2 Cum

Fresh Water – 65.7 Cum

Hold / Hatches / Cranes

Cargo Hold Capacity:

Hold #1 – 100 Cum / 3,530 Cuft LXB=3.0M x 6.3M

Hold #2 – 4,700 Cum / 165,910 Cuft L x B = 49.3 M x 10.9 M

Floor space under deck:

Tank Top Floor Space – 550 Sqm

Tween Deck Floor Space – 550 Sqm

Cranes:

2 x Liebherr WLL 69 MT

Both Cranes on Port side

Crane Load Outreach:

60 MT in 2.8 – 12.0 M

40 MT in 2.1 – 17.0 M

36 MT in 2.1 – 21.0 M

Container Intake:

Hold Capacity: Hold #1 - 1 TEU Hold #2 - 82 TEU

TEU Deck Capacity - 145 TEU Reefer plugs on deck – 24

Stack Weight (TEU / FEU):

Tank Top – 60/90 MT

Tween deck – 30/35 MT


Hatch Covers – 45/65 MT

Deck Strength Per Sqm:

Tank Top – 10 MT / Sqm

Tween Deck Pontoons – 5 MT / Sqm

Hatch Covers – 4.0 MT / Sqm



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.

