



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

NEW BUILD - 11.8m Fast Patrol / Interceptor Boat



Listing ID - 4708

Description NEW BUILD - 11.8m Fast Patrol / Interceptor Boat

Date Launched Built to Order

Length 11.8m (38ft 8in)

Beam 3.8m (12ft 5in)

Draft 0.62m (2ft)

Note Engines: 2x Mercury V10

Location ex Shipyard, China

Broker Geoff Fraser
geoff.fraser@seaboats.net
+64 21 61 222 5

Price POA

The targeted operating missions:

Initially designed as patrol/interceptor boat, this K-TOUGH Hull based boat is also perfect for ambulance/fire rescue/pilot transit/security/escort//command/VBSS/quick response/surveillance and any other types of military/paramilitary/professional operations that need to deal with rough open seas and hostile environments.

The real-life validated, truly world-changing capabilities from DNA:

Built on our exclusively innovated K-TOUGH Hull Architecture Platform, this small enough, only commonly equipped boat is enabled from the very DNA with capabilities to revolutionize your tough mission safety, performance and cost savings by allowing you to get at least five times of far better rough open sea handling safety, performance, stability, comfort, control, dryness, coxswain's visibility and damaged survivability than found with any far larger, far more expensively equipped boat from any of today's so-called top reputed US/EU/UK/Australian companies even when the comparable boat is already more than five times of higher cost and already installed with very expensive ride

controls, gyro stabilizers, etc. This means that, you can expect a K-TOUGH Hull based boat only around 10m with only twin outboard motors to effortlessly beat any patrol/interception/SAR/pilot transit/command/VBSS/quick response/surveillance of more than 20m from any other company in all aspects of sea handling qualities and capabilities with hands-down (We have achieved this capabilities target five years ago from real-life comparison tests in 3-4m waves even only based on our first generation of K-TOUGH Hull platform which made end users to have quickly put aside their existing boats delivered from the very top reputed US/EU/UK companies once having our boats on hand, only use and keep over-using our boats which is a difficult-to-believe phenomenon that it even astonished the prime minister, while this unique Hull Platform now has evolved into its third generation which can create even far better capabilities).

Here are some of the real-life validated, truly industry-disrupting capabilities that have been repeatedly proven from the use of our delivered boats which will allow you to further learn what you can get from a K-TOUGH Hull based boat:

- Approx. 30%+ better fuel efficient compared with a deep-V hull of equivalent hull length, chine beam, deadrise angle distribution, LCG, windage areas and displacement;
- Approx. 3 times better agility at high speeds;
- Approx. 5 times + better control in high speed tactics maneuvering;
- Approx. 5 times + better in dynamic stability;
- Approx. 50% better acceleration (effortlessly enter into plane with no high bow-up);
- Approx. 5 times + comfort and safety in rough seas over any far larger, far more expensively equipped boat from any other company (no exception to any of today's so-called top reputed US/EU/UK/Australian companies that may come to your mind) even when the comparable boat is already more than 5 times higher in cost and already installed with very expensive gyro stabilizers and active stabilizing fins.---If there comes chance for you to have a K-TOUGH Hull based boat for use in your country, you can do back-to-back comparison test with any of such far larger and far more expensively equipped boat from any of such so-called top reputed designers/shipyards that can be found in your country. KINGTOUGH can return 10% of contract value to you if you find the result is not as claimed!!
- Approx. 5-10 times better sustained high speed helmsman's visibility from the front;
- Riding at full speed in open sea moderate waves extremely stable and comfortable just like driving a car on expressway, and, doing low speed maneuvering in open sea is unbelievably stable just like walking on land;
- Approx. 2-3 times better crash stop distance due to our unique hull's self braking effect;
- More than 10 times of less fault rate due to extremely comfortable working environments created by our unique K-TOUGH Hull Architecture for everything (equipment,machinery, electronics, structure,etc) that needs to perform on this basic platform (fact-based cases and contact information of end users available for your convenience of verifying).
- And many others....

The scientific mystery behind above world-changing capabilities:

With no exaggeration, tough open sea mission handling capabilities of high speed boats have been stagnated for more than 100 years by the more than 100 years of shared problematic fundamentals in hull shapes setting, which makes all of today's high speed boats of all hull sizes, specifications and operating purposes to behave still inherently too violent as found of more than 100 years ago, with unaccepted pitching, rolling, heaving, rocking, jumping, flying out, transom throwing, side skidding, sharp heeling, bow steering and poor damaged survivability to keep wasting energy, threatening safety and limiting tough mission handling capabilities of both the boats and the users as the roots of all evils and roots of more than 99% tragedies and accidents like crew injuries/deaths, structure/equipment/machinery breakdowns and capsize recorded every year with the navies, coast guards, special forces, SAR agencies, pilot transit operators and other military/paramilitary/professional boat users----This crucial truth has been long time played down and is difficult to believe for many people, but, if you put aside the emotional confidence built on the so-called successful stories/proven hulls/so-called long list of existing clients and solidly base on facts from real-life riding behaviors as the ultimate rule for justification, you will quickly find that, every delivered boat from every of today's so-called top reputed US/EU/UK/Australian designers/shipyards and every other

designer/shipyard is nothing but only another example of continuing extending this more than 100 years of endless suffering to continue damaging everything and continue creating tragedies for more users especially in today's information globalization with capabilities in boat solutions developing, engineering and construction already made to be nothing special while the good or bad of real-life behaviors of any boat is so easily obtained from the internet.

However, with our exclusively innovated K-TOUGH Hull Platform, we offers to the world fundamentally while also systematically different scientific working logic for the hulls of our boats to interact with the oncoming flow in a fundamentally different way, which on the other hand enables every K-TOUGH Hull based boat to be born with capabilities to self stabilize its riding behaviors in rough open seas, self clear up impacts brought by oncoming waves, self dampen landings on high swells, self enhance and re-allocate lifting forces to evenly and even more strongly lift the hull, self brake from emergency crash stop besides capabilities to effortlessly cut, penetrate and track through choppy seas and capabilities to self protect all dangerous hull structural areas to allow the boat to continue navigating and mission handling even in the event of damage to the keel along the whole hull length from emergency grounding or damage to the portside/starboard/bow/stern of the hull structure from collision by illegal boats/floating objects, thus eliminating all of the globally watched sensitive, abrupt and violent riding behaviors/motions 100% found in all of our competing boats from the very scientific roots, thus making every K-TOUGH Hull based boat to handle waves just like a dream which is described by our existing coast guard clients as boats that have made their existing boats delivered and marketed by today's very top reputed US/EU/UK companies as world-class capable boats to be just like rubbish, because, our boats have fundamentally defied logic in small boat capabilities which are far beyond imagination.

And, this is how the world of high speed boat capabilities is made to have stagnated for more than 100 years and how we have made it to be fundamentally changed!

The Design:

Dedicated for tough military/paramilitary/professional missions in rough open seas and hostile environments, the boat features a truly high volume hull with high freeboard throughout whole hull length for platform dependability which is combined with best functionalities layout, deck working/berthing/boarding safety and simplicity with all systems interfaces to be strategically located and easily reached, just as shown in the GA drawings.

The Engineering:

The boat is engineered for many years of over-use in heavy seas with heavy-duty construction from structures to the fittings and the installations.

The outlined specifications:

PRINCIPAL DIMENSIONS

LOA: 11.8m

Hull length: 10.5m

Waterline length:10.3m

BOA: 3.8m

Breadth:3.4m

Max Draft(hull only): 0.62m

Depth Moulded: 1.8m

Height Overall:3.2m(from keel to roof)

Lightship Displacement: Approx. 5.5t

Full-load displacement: Approx. 6.8t

SAFETY EQUIPMENT

6 x SOLAS Adult type life jacket;

2 x Life Ring Buoy with Distress Marker Light

- 2 x Portable VHF Radio (See also in “Navigation and Communication Equipment”)
- 1 x EPIRB, operating at 121.5 and 406 MHz (See also in “Navigation and Communication Equipment”)
- 2 x 5 kg portable extinguisher, strategically fitted in the wheelhouse and in the engine room.

DECK FUNCTIONALITIES AND CAPACITIES

Rear deck:

Two MOB platforms together with grab railing located portside and starboard of outboard motors installation to allow survivors to be easily retrieved and safely rescued;

Aft deck:

Designed as working deck with the parameter of the deck well protected by raised deck bulwarks and heavy-duty grab railing; The aft deck is designed to be separated from the rear deck by a laterally constructed deck coaming with two over-sized deck draining ports to go through the bottom of the deck coaming to allow deck water to be quickly discharged overboard;

Two built-in coolers are installed in the interior space of the lateral deck coaming.

Side decks:

Designed as passageway to allow 360 degrees of walk around the wheelhouse and also to allow berthing and boarding to other ship directly from the shoulders; Overhead grab railing will be added on the external top side of the wheelhouse for side berthing and boarding safety.

Two built-in side doors are provided to allow easy diving and berthing operations from the aft deck.

Fore Deck:

Designed as working deck with direct access from the CL to the bow boarding station; safety boarding rail will be provided on the sides of the bow boarding station;

DECK EQUIPMENT:

1 x 16kg HHP stainless steel anchor, designed to be manual operated and placed inboard of the hull in its dedicated anchor locker in order to secure a free forward working deck and avoid the hanging anchor from rocking to the forward hull section by heavy seas;

4 x Double bitt bollards constructed from aluminium and above watertight bulkheads which will be integral also for the functionality of fairleads and lifting lugs;

1 x window wiper for each of the three fore windows which is supplied with water spraying functioning fed from the fresh water tank for wet wiping service and better life protection of the rubber strips of the wipers.

MACHINERIES Type/Model/Output and Capacity

2 x Mercury V10 400HP @ 5800-6400RPM outboard gasoline motors or similar, rated to be intended for 500 annual operating hours.

PERFORMANCE

Max Speed:

No less than 50 knots at full load displacement

TANKAGE CAPACITIES

Fuel Oil:

900L

Fresh Water for window spray wiping:

60L

CRUISING RANGE:

No less than 200 knots at cruising speed

NAVIGATION/TELECOM EQUIPMENT

- 1 x Raymarine AXIOM PRO 12 12"HD touch control screen integrally displaying data of chart plotter, GPS, Radar, Eco Sounder on helmsman control station
- 1 x Raymarine AXIOM PRO 12 touch control screen integrally displaying data of CCTV and night vision on radio control station
- 1 x Raymarine GA150 GPS antenna
- 1 x RD418HD radar radome for 48MN
- 1 x ICOM IC-7300 HF +50MHz SSB/CW/RTTY/AM/FM 100W Transceiver
- 1 x ICOM IC-7300 HF +50MHz SSB/CW/RTTY/AM/FM 100W Transceiver
- 1 x CPT-S Echo Sounder or similar
- 1 x SS-2000 magnetic compass or equal, 4-1/2"(114mm), 12VDC
- 1 x IC-M324 fixed mounted VHF or similar
- 1 x RA112CR VHF antenna
- 1 x MA-500TR AIS or similar
- 1 x RA112CR AIS antenna
- 1 x E100 EPIRB or similar
- 1 x LED type navigation light system which will be supplied in shape in accordance to 72 COLREG
- 1 x LED type deck working/spot/flood light system as required by tender
- 1 x Flare kits as required by tender

SURVEILLANCE EQUIPMENT:

- 1 x Jabsco or similar 12V DC Strong marine search light with 320 deg. visibility coverage and controlled from wheelhouse;
- 1 x FLIR M300 will be provided with imagine to be integrally displayed on the Raymarine AXIOM PRO 12 touch multifunction screen.
- 1 x Super-LED 22" Lightbar, Blue/Red.
- 2 LED Law Enforcement Strobes
- 24VC Blue/Red.

Loud Hailer/Siren/ Intercom System:

Compatible with Police Light System

CABINS LAYOUT AND FUNCTIONALITIES

- 1 x wheelhouse on main deck, laid out with 2 x SHARK SEATING captain's shock-mitigating seats for the captain and the crew, 1 x L-shaped sofa with storage under, 2x passenger seats;
- 1 x front cabin accessed from the passageway from the wheelhouse via CL of the console station, laid out with 2 x L-shaped sofa seating.

INTERIOR FITOUT

To be of high quality commercial fitout with hard-wearing finish.

The interior fitout panels are preliminarily to be FORMICA fireproof panels or similar with dark gray color throughout (or subject to user preference).

The control station is designed to be of light color or dark gray.

CABINS VENTILATION:


The wheelhouse is designed to be naturally ventilated via low profile ventilators and two sliding windows on the front of each side.

TOOL KITS:


One general service tool kits for the mechanics and one general service tool kits for the electricians will be supplied in two dedicated tool boxes with the boat which will allow easy servicing to nearly all mechanical interfaces and electrical interfaces

SHIPPING EQUIPMENT:

1 x Custom fabricated, mild steel welded boat cradle will be supplied with each boat for fixing the boat firmly onboard of commercial ship for ocean transit safety.



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM