



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

26m Multicat For Charter



Listing ID - 4793

Description 26m Multicat For Charter

Date 2011

Launched

Length 26m (85ft 3in)

Beam 11.5m (37ft 8in)

Draft 2.5m (8ft 2in)

Note Bollard Pull: 37.2 tons

Location UK Coast

Price POA

Built year / Place: 2011 / Netherlands

Hull material: Steel

Flag: United Kingdom

Class Society and Notation: BV & MCA, Unrestr. Nav. & Cat

LOA: 26m

Breadth: 11.5m

Depth: 3.5m

Draft: 2.5m

Displacement: 167.44 tons

Accommodation

Comfortable heated and air-conditioned accommodation for 6 persons in 3 cabins, galley, sanitary facilities, etc.

Machinery & Propulsion

Total power output (BHP): 2549

Main Engine: 3 x Caterpillar
Main Propulsion System: 3 x Fixed pitch propellers
Auxiliary engine(s): 2 x 107kW, Cat C 04.4

Cargo and Tanks Capacities

Fuel tanks capacity (m3): 199
Fresh Water tanks capacity (m3): 48
Black/Grey Water: 9.2 m3
Dirty Oil: 2.0 m3
Hydr Oil: 1.2 m3
Lub Oil / Bilge Water Each: 1.8 m3
Ballast Water: 60.0 m3

Auxiliary Equipment


Generator Sets: 2x Cat. C 04.4, 107,5 kVA each Cat
Hydraulic Power: C18 TA, 357 kW 1800rpm OTC-2
Fuel Oil Separator: 1150 ltr./hr.

Deck Layout

Anchor: 270 kg Pool TW (HHP)
Anchor Winch: Hydraulically driven CAW-H-136
Deck Crane: 1x Heila HLRM 230-3SL 12T @ 15m, 1x Heila HLRM 230-3SL 12T @ 15m
Anchor Handling / Towing Winch: AHW-H-1000 double drum in waterfall execution, Towing 50T at 10 m/min pulling force (1st layer) Towing
Capacity: 90T brake holding force (1st layer) Anchor 100T at 5 m/min pulling force (1st layer) Anchor 150T brake holding force (1st layer)
Towing Pins: 2x triple pin type
Tugger Winch: 8T @ 15m/ min
Capstan: 5T at 30 m/min

Additional Information

Performances (Trials)
Bollard Pull: 37.2 tons
Speed: 9.8 knots
Gearboxes: 3x Reintjes WAF 464 5.591 : 1
Bow thruster: Hydraulically driven 200 kW, 360°



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



