



# SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

[sales@seaboats.net](mailto:sales@seaboats.net) - [www.seaboats.net](http://www.seaboats.net)

## 48m Multipurpose OSV



### Listing ID - 617475

**Description** 48m Multipurpose OSV

**Date** 2008

**Launched**

**Length** 48m (157ft 5in)

**Beam** 11m (36ft 1in)

**Draft** 3.5m (11ft 5in)

**Broker** Peter Cookson  
[peter.cookson@seaboatsbrokers.com](mailto:peter.cookson@seaboatsbrokers.com)  
+61 429 543 180

**Price** POA

### Basic Function

As multi-purpose / Supply Vessel

Offshore Support

General Assistance

### General

Year Built: 2008

Classification: LR

Port of Registry: Kuching Malaysia

### Main Dimension

LOA: 48m (157ft 5in)

Beam: 11m (36ft 1in)

Depth: 3.5m (11ft 5in)

Designed Draft: 2.5m

Max Draft: 3.4m

Gross / Net Tonnage: 494 / 148

### **Tank & Loading Capacity (98% approx)**

Fuel Tanks: 247m<sup>3</sup> (approx)

Potable Water: 245m<sup>3</sup>

Deck Area: 9m x 24m

Deadweight: 522.08 tonnes

Displacement: 1025.68 tonnes

### **Cargo Handling**

F.O. Pump: 100cum / hr 60m head

FW Pump: 75cum / hr 60m head

### **Performance**

Speed: Max 13 knots

Endurance: 22 Days

### **Machinery**

Main Engine: 2x 1700BHP @ 1800rpm Cummins KTA50M2 c/w Twindisc MG5506 gearbox

Generator: 2x 150kW Cummins 415/3/50

Bowthruster: 5mt Tunnel thrusterb type engine driven

Control: Fwd & aft

### **Navigation and Communication**

Comply with flag administration and SOLAS requirement (GMDSS A3)

Search Light; 2x 200w

### **Deck Machinery & Connections**

Bow Anchor: 2x 900kg stockless anchor with 9 shackles anchor chain

Electro Hydraulic Windlass Twin Gypsy c/w 2 wrapping heads c/w hydraulic-electro power pack

Capstan: 2x5mt

Tugger Winch: 1x10mt

Crane Davit: 2t @ 6m reach

Open Stern

Reefer Point: 8 nos

Crash Rail

### **Safety and Fire Fighting Equipment**

In compliance with Class requirement &/ requirement of Flag administration

Vessel comply to MARPOL 1 & IV, V

LSA is for 26 pax complement

Rescue Boat

### **External Fire Fighting**

½ FiFi 1200 cum/hr c/w 2 fire monitors

### **Accommodation**

Fully central air-conditioned: 24 berths



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



