



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

104m Multipurpose Vessel, Gearless



Listing ID - 670072

Description	100.70m Cargo Vessel
Date Launched	1998
Length	100.70m (330ft 4in)
Draft	7.45m (24ft 5in)
Location	Bangladesh
Broker	Peter Cookson peter.cookson@seaboatsbrokers.com +61 429 543 180
Price	USD 10.56 million - Yard funding available

Builder: Ananda Shipyard & Slipways Ltd., Dhaka. Bangladesh.

Class: Germanischer Lloyd, GL-Reg. – 114364 '+100 A5, SOLAS II-2, Multi Purpose Dry Cargo Ship + MC, AUT

Flag: PANAMA

Call Sign: V 2 F O 8, MMSI NO.: 236 111 816

Complements: 13 person

Radio Communication Equipment

Communication equipments are in accordance with the GMDSS area A1, A2 & A3

Type:

Single screw Multi Purpose Dry cargo vessel for worldwide trade.

Principle Particulars

Length overall: 104.135m (341ft 7in)
Length between PP: 98.535m (324ft 3in)
Breadth moulded: 15.25m (50ft)
Dept moulded to main deck: 7.45m (24ft 5in)
Draught summer: 5.6m (18ft 4in)
Speed 12.00 knots

Tonnage

DWT: 5500 MT T Design: 4500 MT

Hold capacity

Appr. 270500 Cuft

Bunker Capacity

HFO – 340.9 MT, MGO – 83.1 MT

Freshwater Capacity: 32.3 MT**Main Engine:**

Wärtsilä – In-Line 6L26, 2040 KW @ 1000 RPM, Clockwise
Cylinder configuration: 6L
At 100% rated power fuel oil consumption is 373.3 Kg./hr

Reduction Gear:

ZF Marine – ZFW23100NC PT05
Ratio – 4.952:1, Rotation: Input EW, Output CEW
PTO: PT05, 350KW, 1500RPM
Application range: Continuous operation/heavy duty

CPP Propeller:

ZF Marine – KH760, Dia. – 3150 mm,

Main Generators: 2 Nos.

Diesel Engine – MAN
Type – D 2866 LXE 30, 244 KW @1500 RPM
Alternator – Leroy Somer
Type – LSAM 46 2L9C, 250 KVA, 400V, 50Hz

Harbour/Emergency Generator

Diesel Engine – MAN
Type – D 2866E, 105 KW @1500 RPM
Alternator – Leroy Somer
Type – LSAM 44 2S7 C, 105 KVA, 400V, 50Hz

Shaft Generator:

Alternator Type: Leroy Somer- ME PTO driven – 365 KVA

Steering Gear:

VENDER VELDEN, Germany

Rotary Vane type – BRV 63-45°, 69 kNm

Rudder:

VENDER VELDEN Flap Rudder – TRA23-32-12, Area –
7.36m²

Bow Thruster:

JASTRAM – BU 01/3994-3998, Power – 250 kW

Fresh Water Maker:

Sondex AS, Type SFD6, Capacity – 4m³ /24 hr.

Air Condition, Ventilation & Heating:

De Haan. B. V. , Netherland

Hatch Covers

SMST RODENSTAAL

Pontoon Type Gantry Crane Operated weather tight steel hatch
covers.






005.jpg





The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM