



SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

sales@seaboats.net - www.seaboats.net

NEW BUILD - 38m MPP Utility / Supply Vessel



Listing ID - 1623

Description	NEW BUILD - 38m MPP Utility / Supply Vessel
Date Launched	Built to Order
Length	38m (124ft 8in)
Beam	32.11m (105ft 4in)
Draft	3.23m 910ft 7in)
Location	ex Shipyard, Turkey
Broker	Geoff Fraser geoff.fraser@seaboats.net +64 21 61 222 5

Builder / Shipyard: arena Offshore

Build: 2019 / Istanbul Turkey

Classification: Bureau Veritas (BV)

1+ Hull +Machinery, Supply Vessel, Tug

Fire Fighting Ship E, Oil Recovery Ship, LHNS - Second Line

Oil Product FP>60* - CARGO GEAR

Unrestricted Navigation Area (A1+A2)

Flag: SVG

GRT: 422

MAIN PARTICULARS

Length Overall: 38m

Length B.P.: 32.11m

Breadth Moulded: 9.80m

Depth Moulded: 3.85m

Draft: 3.23m

MACHINERY

Main Engines: 2 x Caterpillar C32 ACERT - 1300 bhp @ 1800rpm

Total power: 2600bhp

Gearbox: 2 x Masson (*) Ratio approx 4:1

Aux Generators: 2 x Caterpillar C9 DITA, 250 Kva @1500rpm, 50hz

Harbour Genset: 80 Kva, 1500rpm, 50hz

Bow Thruster: 99 kw Electric Driven with frequency convertor

Aft Thruster: 99 kw Electric driven with frequency convertor

Propellers: 2 x 4 Bladed Fixed Pitch Propellers (ZF*)

Steering Gear: DATA hydraulic Cylinders

2x 1000 ™ (35 degree / each) hydraulic power pack

PERFORMANCE

Maximum Speed: 13 knots (design)

Maximum Fuel Consumption: 200 lt/hr each engine

Economical Speed: 11 knot

Economical Fuel Consumption: 110 lt/hr each engine

CARGO CAPACITIES

Free Deck Area: 150 m2

Deck Strength: 2 tons / sq.m

Deck Load: 100 T

Diesel Oil Capacity: 48 T

Recovered Oil Capacity: 180 T

Container Lashings: For four (4) TEU containers

ACCOMMODATION

Total 20 men

4x Single Crew Cabin, 4x Double Crew Cabin

2x Four Crew Cabin, 2x Mess Room with TV

1 Galley with Refrigerator + Hot plates + dry Provision Room

1x Hospital Room, cold store, Laundry Room

Air conditioning: Fully air conditioned with central air handling unit

EXTERNAL FIRE FIGHTING

1400 m3/h driven by man engine

2x water Monitor max 10000 lt/min

Remote Control Operated

OPTIONAL

Rescue Boat

Rescue Boat Davit

DECK EQUIPMENT

Anchor Windlass: 2 x Electrical driven windlass, 390kg/each VHP Two Anchors

Chain: Chain 330m / 22mm Q3 type

Deck Crane: Hydraulic Telescopic Offshore Deck Crane

Boom at 8m outreach SWL : 3.5 tonnes

Boom at 16m outreach SWL : 1.6 tonnes

Winch: Hydraulic Double Drum Winch

Drum Pull 20 tonnes / each

Wire Capacity 500m x 36mm dia (total)

Driving Unit Clutch Control-Local & Remote Control Operated

Stern Roller: 3m long by 1.5m diameter steel shaft / roller bearing

Mooring Capstan: 2x2 tonnes electric driven

A-FRAME: 20 tonnes 2.5m outreach - Hydraulic driven by power pack

A-Frame is detachable if necessary - Local & Remote Control Operated

Towing Hook: 25 tonnes - Rotating Disc and Quick Release

RADIO & NAVIGATIONAL EQUIPMENT

Radar: 1 set FURUNO - FAR 1518- 19”high-resolution color LCD(*)

Radar: 1 set KODEN - MDC 5041 - 19 “high-resolution color LCD(*)

Oil Spill Detection Radar: 1 set FURUNO - Foil 200 - 19”high-resolution color LCD (*)

Echo Sounder: 1 set Northern - EMES60 S(*)

Speedlog: 1 set Northern -EMES60 S(*)

Magnetic Compass: 1 set LILEY & GILLIE-SCH105 (*)

Autopilot: 1 set SIMRAD-AP28(*)

GPS: 1 set KODEN-KGC 300(*)

GPS Compass: 1 set KODEN- KGC 300(*) SBAS ready (*)

Chart Plotter: 1 set JMC Super Pilox Max19”Tft display (*)

AIS: 1 set SAILOR 6280 / Class A (*)

EPIRB: 1 set JOTRON Tron 60S (*)

SART: 1 set Tron SART 20(*)

VHF DSC System: 1 set SAILOR -6222(*)

VHF System: 1 set SAILOR -6210(*)

BWAS: 1 set LILLEY & GILLIE-BNWAS(*)

GMDSS: 3 set SAILOR -3520 Portable SP3520(*)

Navtex: 1 set SAILOR 6391 (*)

Talkback System: 1 set ZENITEL - ETB 5 (*)

SP Telephone System: 1 set ZENITEL - ETB 5 (*)

Fleet Broadband: 1 set SAILOR 250(*)

SSAS and LRIT: 1 set SAILOR 6120(*)

MF-HF DSC System: 1 set SAILOR 6310(*)

AIR BAND VHF: 1 set Icom Air Hand Portable VHF(*)

Electronic Weather Station: 1 set Airmar PB 50(*)

Local TV System: 1 set ZENITEL - G9308(*)

Automatic Telephone System: 1 set KAREL-MS128(*)

PUMPS

Bilge & General Service Pumps: 25 m³/h -3 bar - SP

Fire & Bilge Pump: 25 m³/h-7 bar-SP

General service Pump: 25 m³/h-3bar

External FiFi Pump; Engine driven type, capacity 1400m³/h at 125 mlc

Bilge discharge pump: 2 m³/h - 3bar

Emergency Diesel Fire pump; 25 m³/h-5 bar

Oil Recovery Pump: 45 m³/h-5 bar
F/W Cargo Pump: 45 m³/h-5 bar
Air Compressor: 200L air receiver capacity - screw type air compressor

GENERAL FEATURES

Forward and Aft Bridge Control (Bridge / Maneuvering Stations)
Provision Cold Store 10 cbm (+4 degree)
Diesel Oil Separator 760 lt/hr
Wood covered deck
Search Light 1000 W-Remote Operated-Fore & Aft
Tank level gauging system with Cargo D/O and F/W flow meters
Hot water System
Main Engine Maintenance Hatch-2.5m *1.5m (PS&STB)
Durable Epoxy Paint System- JOTUN
Deck Electrical Socket (Weatherproof) + Container Supply
CCTV - Steering and machinery Rooms / mess room / Bow and Deck
Alarm Monitoring System
Sewage water Treatment Unit
Oily Water Separator

(*) - equal





The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM