



# SEABOATS

MARINE BROKERS WITH A GLOBAL APPROACH

AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM

[sales@seaboats.net](mailto:sales@seaboats.net) - [www.seaboats.net](http://www.seaboats.net)

## 3600 BHP Utility / Towing / Anchor Handling Vessel



### Listing ID - 677965

**Description** 3600 BHP Utility / Towing / Anchor Handling Vessel

**Date** 2009

**Launched**

**Length** 41.8m (137ft)

**Beam** 10m (32ft 9in)

**Draft** 3.2m (10ft 5in)

**Broker** John Kearns  
[john.kearns@seaboatsbrokers.com](mailto:john.kearns@seaboatsbrokers.com)  
+64 21 400 805

**Price** US\$ 3.65 million

Flag: Malaysia

Port of Registry: Port Kelang

IMO No.: 9530424

Call Sign: 9MPL2

Vessel Built: August 2009

Where Built: Jiangsu Shipyard, China

Length OA: 41.8m (137ft)

Breadth Moulded: 10m (32ft 9in)

Depth Moulded: 4.6m (15ft)

Max Draft: 3.2m (10ft 5in)

Gross Tonnage: 573 Tons

Net Tonnage: 174 Tons

Deadweight: 450 MT

Classification: ABS

LSA: 18 men

### **Machinery**

Main Engines: 2 main engines, YANMAR 8N21A-3N 1800 PS @900 rpm

Gear Box: 2 suit YANMAR YXH-2000C for 1800 PS with gear ratio 3.03:1

Propeller: 2 fixed pitch propeller, KA-4 type, Manganese bronze

Generators: 3 x 210 Jwm 415V/3/50, TAMD 103AHE, Volvo Penta

Bow Thruster: 3.6 MT thrust, Kamewa thruster

Towing/Anchor: Double drum waterfall winch, each drum

Handling Winch SWL 100T @ 6m/min, 1st layer.

Remote control from wheelhouse.

Wire Ropes Capacity: 2 x 48mm dia. X 750M long

In use: 1 x 48mm dia x 750m (towing wire)

1 x 48mm dia x 100m (working wire)

Shackles & Bridles: Assorted from SWL 15MT to 60MT

Tugger Winches: 2 x 5T @10m/min

Brake holding: 15 Tons

Capstan: 1 x 5T @ 10m/min

Towing Pins 100T SWL 2 Off

Shark Jaw 100T SWL Karmfork.

Stern Roller: 4 metres long, working diameter 1.5 metres, rolled from 19mm thick plate is to be arranged on the aft end for anchor handling operations.

### **Capacities**

Deck Area: 100 M<sup>2</sup> clear areas

Fuel (incl bunkers): 265.17 M<sup>3</sup> @ 98%

Fresh water: 116.72 M<sup>3</sup> @ 100%

### **Navigation/Electronics**

Magnetic compass, Gyro compass, Colour sounder, Speed Log, Autopilot, Radar, GPS, HF(2), VHF(2), Inmarsat C, Full GMDSS Comm. Set, ECDIS, VSAT.

### **Bollard Pull**

ABS Certified Bollard Pull – 47MT

### **Emergency Response & Fire-Fighting Capabilities (half FiFi Class)**

1200 m<sup>3</sup>/hr capacity

2 x monitors

2000 ltrs foam tank

Oil dispersant nozzles P&S.

### **Accommodation**


2 single man cabins

4 two men cabins


2 four men cabins

ttl: Marine crew compliment: 12 persons

Passengers: 6 persons



The details of all vessels are offered in good faith but we cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Any buyer should instruct their agents, or their surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to sale, price change, location or withdrawal without notice.



AUSTRALIA - BULGARIA - INDIA - INDONESIA - ITALY - MALAYSIA - NEW ZEALAND - PANAMA - PHILIPPINES - SINGAPORE - SPAIN - UK - USA - VENEZUELA - VIETNAM